



ELECTRIC FENCING PRODUCTS THAT DELIVER PEACE OF MIND

QUICK REFERENCE CATALOGUE



30 years of designing and manufacturing innovative electric fencing solutions

NEMTEK
Electric Fencing Products



INTRODUCTION

Nemtek is a leading supplier of innovative electric fencing products both locally and abroad. Nemtek's electric fencing solutions are regarded as the product of choice by consumers, companies, industries, governments, local authorities and industries in protecting their utilities, correctional facilities and defence infrastructures.

With over 30 years of experience in designing electric fencing products and technologies, Nemtek has the in-house knowledge and expertise to manufacture and supply the full spectrum of energizers and fencing hardware applications for residential, commercial, industrial, utilities and high-risk security fencing.

Residential



Nemtek's extensive range of quality security electric fencing products work to ensure the safety of you and your home. Our robust fences act as a deterrent to criminals and provide advanced warning should the fence be tampered with or compromised in any way. The range offers solutions for all types of residential applications, with a wide range of styles to choose from for an aesthetically pleasing design.

Commercial



Nemtek offers a wide range of security solutions for commercial applications and secure perimeter protection combined with aesthetically pleasing designs that do not compromise on the performance of the electric fence. These solutions are effective in securing outdoor showrooms and displays, office parks, and retail complexes vulnerable to attack by criminals.

Industrial



The need for protection of large-scale industrial areas is met by Nemtek's range of full-height fencing solutions. Whether applied as a standalone solution or added to existing fencing, Nemtek's fences offer safety and security to any industrial site. Furthermore, our versatile modular design of energizers makes catering for multiple fence zones practically feasible.

Utilities



From protecting critical infrastructure to preventing harm to individuals by stopping them from gaining access to sensitive or dangerous areas, Nemtek's range of hardware, software and energizer design will ensure that a reliable security solution is available for any utility's requirement.

High security



High-security sites such as prisons, airports, embassies and money-distribution points tend to need that little bit extra when it comes to security products. This is where Nemtek's global experience in securing such sites becomes a critical factor. Nemtek's range of products allows for seamless integration with other security technologies and can also provide remote access and monitoring.

ENERGIZERS

-  residential
-  commercial
-  industrial
-  utilities
-  high security

Nemtek's range of electric fencing energizers are suitable for a variety of applications, for both home and commercial security. Robustly manufactured from top quality materials, Nemtek's energizers cater to your specific electric fencing needs.

SINGLE ZONE



WIZORD 2i (E-WIZ2i)
WIZORD 4i (E-WIZ4i)

SINGLE ZONE

2J OUTPUT
2i

3.7J OUTPUT
4i



MERLIN 4i (E-MER4i)
WITH KEYPAD
(EE-MKP)

SINGLE ZONE

3.7J OUTPUT



MERLIN STEALTH M18S (E-M18S/V1)
MERLIN STEALTH SINGLE ZONE KEYPAD (EE-M1Z2GK)

SINGLE ZONE

7.6J OUTPUT

SINGLE ZONE WITH LCD DISPLAY



DRUID 13LCD (E-DRUID/13/LCD)
DRUID 15LCD (E-DRUID/15/LCD)
DRUID SINGLE ZONE KEYPAD
(EE-DR.LCD/KP)

SINGLE ZONE

3J OUTPUT
13LCD

4.6J OUTPUT
15LCD

APT



DRUID 18LCD (E-DRUID/18/LCD)
DRUID SINGLE ZONE KEYPAD
(EE-DR.LCD/KP)

SINGLE ZONE

7.6J OUTPUT

APT

DUAL ZONE



MERLIN STEALTH M28S-X
(E-M28S/V1)
MERLIN STEALTH DUAL ZONE KEYPAD (EE-M2ZKP)

TWO ZONE

7.6J OUTPUT

DRUID DUAL ZONE ENERGIZER ACCESSORIES




DRUID RELAY EXPANSION CARD
(EE-LCD2X/REL)



DRUID SYNCHRONISATION MODULE
(EE-LCD2X/GPSYNC)

DUAL AND FOUR ZONE WITH LCD DISPLAY



DRUID 25LCD (E-DRUID/25/LCD)
DRUID 28LCD (E-DRUID/28/LCD)

2 & 4 ZONE

2 x 2.4J OUTPUT
25LCD


2 x 3.7J OUTPUT
28LCD

APT


ALARM SENSOR MODE

NETWORK

SYNCHRONISE



DRUID DUAL ZONE KEYPAD
(EE-DR.LCD/KP/2Z)



DRUID FOUR ZONE KEYPAD
(EE-DR.LCD/KP/4Z)

COMMUNICATION CARDS AND CONVERTORS



SINGLE-MODE FIBRE CONVERTOR
(EE-FC/SM/SC), (EE-FC/SM/ST)



MULTI-MODE FIBRE CONVERTOR
(EE-FC/MM/ST)



DRUID NETWORK IO CARD
(EE-FG108/NL)



FG7C RS485 INTERNAL CARD
(EE-FG7C/485/TW)



FG7C NEMLINK INTERNAL CARD + TW
(EE-FG7C/NLE/TW)



SINGLE-MODE ETHERNET TO FIBRE CONVERTOR
(EE-ETF/SM/SC)



MULTI-MODE ETHERNET TO FIBRE CONVERTOR
(EE-ETF/MM/ST)



SMART IO RELAY CARD
(EE-PRI08/NL)



DRUID NEMLINK CARD - NETWORK IO
(EE-LCD2X/NLIO)



DRUID NEMLINK CARD
(EE-LCD2X/NLE)



DRUID RS485 CARD
(EE-D/485/1)

PERIMETER ALARM LIGHT SYSTEM



POWER SUPPLY TRIGGER MODULE
(SR-FL/24PCB)



DUAL LIGHT MODULE WITH MOUNTING BRACKET
(SR-FL/DUAL)



LOW-VOLTAGE CABLE
(CB-2CFLC)



POWER PACK 2AMP
(PP-2.0AMP)

MULTI-ZONE SYSTEMS



NEMTEK DRUID FENCE PROBE SOFTWARE (E-NDFP01)

- 64 ZONE
- 31 NETWORK IO CARDS
- PC CONTROL
- REMOTE ACCESS



DRUID CONTROLLER FG7C
Wall Mount (E-FG7C/DRUID/WM)
Panel Mount (E-FG7C/DRUID/PM)



FENCE SCOPE MULTI-TOOL AND POUCH
(TL-FS), (TL-FSTP)



















FENCE METER
(TL-FM)





















EASY FENCE TESTER
(TL-EFT)

FENCE TESTERS

TENSION SENSOR SYSTEM

							
TENSION SENSOR CONTROLLER FG7C Wall Mount [E-FG7C/DRUID/WM] Panel Mount [E-FG7C/DRUID/PM]	TENSION SENSOR [E-TWS1]	TENSION SENSOR DUMMY [E-TWS2]	MYLAR SCREEN 3-CORE CABLE [CB-TWC/200]	DRUID NETWORK IO CARD [EE-FGIO5]	NODE 1 CONTROLLER [E-TW/NODE1]	NODE 2 CONTROLLER [E-TW/NODE2]	WALL TOP BRACKET - THREE WIRE SENSOR [E-TW/3WS]
							
WALL TOP BRACKET - THREE WIRE CORNER [E-TW/3WC]	WALL TOP BRACKET - THREE WIRE [E-TW/3WP]	WALL TOP BRACKET - THREE WIRE STEP [E-TW/3WP45]	WALL TOP BRACKET - SINGLE SENSOR [E-TW/1WS]	WALL TOP BRACKET - SINGLE WIRE [E-TW/1WP]	WALL TOP BRACKET - SINGLE STEP [E-TW/1WP45]	SIDE MOUNT BRACKET - SINGLE SENSOR [E-TW/1WSM/S]	SIDE MOUNT BRACKET - SINGLE WIRE [E-TW/1WSM/P]


WALL TOP BRACKETS (Available in 5, 6, 8, 10 and 12 wire. White or black PC, HDG or HDG and PC – depending on bracket selected)

								
ROUND BAR	SQUARE TUBE STRAIGHT AND ANGLED	SQUARE TUBE JURASSIC STRAIGHT AND ANGLED	SQUARE TUBE JURASSIC TOP BEND	T-POLE	PROFILE POLE	SQUARE TUBE SHIELD PIN	SQUARE TUBE SHIELD	SQUARE TUBE POPEM
								
FLAT BAR STRAIGHT AND ANGLED	SQUARE TUBE TOP BEND	SQUARE TUBE JURASSIC TOP BEND	SQUARE TUBE SHIELD T-POLE	SQUARE TUBE SHIELD WITH BASE	SQUARE TUBE SHIELD WITH BASE	SQUARE TUBE SHIELD WITH BASE	SQUARE TUBE SHIELD WITH BASE	SQUARE TUBE SHIELD WITH BASE

WALL TOP BRACKET ACCESSORIES

				
STAY AND LUG 600mm black PC [EST/L/B], 600mm white PC [EST/L/W], 750mm black PC [EST/L/BL], 750mm white PC [EST/L/WL], 600mm HDG [EST/L/HD], 750mm HDG [EST/L/HDL]	STAY HEAVY DUTY 1 000mm black PC [ESTBL10], 1 000mm white PC [ESTWL10], 1 000mm HDG [ESTHDL10]	STAY SLEEVE 600mm black [ESTSSB], 600mm white [ESTSSW], 750mm black [ESTSLB], 750mm white [ESTSLW], 1 000mm black [ESTSLBL10], 1 000mm white [ESTSLWL10]	LUGS 6x35 [EA-L635], 6x35 HDG [EA-L635/HDG], 6x35 ALU [EA-L635/ALU], 6x70 [EA-L670]	ROUND BAR STAY CLAMP [EA-RAT]
				
NAIL-IN ANCHORS 6x40mm [EA-640], 6x60mm [EA-660], 8x80mm [EA-880], 6x40mm XL [EA-640/XL], 6x60mm XL [EA-660/XL], 8x80mm XL [EA-880/XL]	HAMMER DRIVE ANCHORS 6x50mm [EA-HDP650], 6x65mm [EA-HDP665]	COACH SCREW AND PLUG 8x75mm [EA-CSSET/HD]	TEK SCREWS SELF DRILLING 12x25mm [EA-TEK12X25/HDG], 12x38mm [EA-TEK12X38/HDG], 12x65mm [EA-TEK12X65/HDG], 14x75mm [EA-TEK14X75/DM], 14x102mm [EA-TEK14X102/DM], 14x142mm [EA-TEK14X142/DM]	

HOW A NEMTEK WALL TOP ELECTRIC FENCE WORKS



FREE STANDING SYSTEM

 <p>NEMTEK PICKET INTERMEDIATE POSTS 1.5m Bitumen [EY-Y15NB], 1.5m HDG [EY-Y15NHD], 2.4m Bitumen [EY-Y24NB], 2.4m HDG [EY-Y24NHD], 3.0m Bitumen [EY-Y30NB], 3.0m HDG [EY-Y30NHD]</p>	 <p>STRAINER POST - END AND CORNER 1.5mx76mm HDG [EY-CPR7620HD15], 2.4mx76mm HDG [EY-CPR7620HD24], 3.0mx76mm HDG [EY-CPR7620HD30], 2.4mx95mm HDG [EY-CPR9520HD24], 3.0mx95mm HDG [EY-CPR9520HD30]</p>	 <p>STRAINER POST - STAYS 1.5mx38mm HDG [EY-CSR3815HD], 2.4mx38mm HDG [EY-CSR3824HD], 2.4mx50mm HDG [EY-CSR5024HD], 3mx50mm HDG [EY-CSR5030HD]</p>	 <p>HOT DIP GALVANISED Nut Bolt [EA-SCRM10NUTSHD] [EA-SCRM10X120H]</p>	 <p>U-HOOK [ES-HK/UH304]</p>		
 <p>PICKET INSULATOR [EI-PI]</p>	 <p>COMBO TENSIONER HYBRID BB [ES-CTNTBB]</p>	 <p>HEAVY DUTY COMPRESSION SPRING 3 [ES-CNT3]</p>	 <p>HYBRID COMPRESSION SPRING 4 [ES-CNT4HB]</p>	 <p>STRAIN INSULATOR HARDENED ULTRA [EI-STB/R/H], [EI-STW/R/H]</p>	 <p>S-HOOK [ES-HK/EP]</p>	 <p>THROUGH HOLE S-HOOK [ES-HK/THR/HDG]</p>

OMEGA BRACKETS AND ACCESSORIES

	<p>PRE-GALVANISED INTERMEDIATE BRACKET 900mm [EY-PR275/0900/1], 1 200mm [EY-PR275/1200/1], 1 500mm [EY-PR275/1500/1], 1 800mm [EY-PR275/1800/1], 2 100mm [EY-PR275/2100/1], 2 400mm [EY-PR275/2400/1], 3 000mm [EY-PR275/3000/1]</p>				
	<p>HOT DIP GALVANISED INTERMEDIATE BRACKET 900mm [EY-PRHDIP0900/1], 1 200mm [EY-PRHDIP1200/1], 1 500mm [EY-PRHDIP1500/1], 1 800mm [EY-PRHDIP1800/1], 2 100mm [EY-PRHDIP2100/1], 2 400mm [EY-PRHDIP2400/1], 3 000mm [EY-PRHDIP3000/1]</p>				
	<p>HOT DIP GALVANISED CORNER BRACKET 1 800mm [EY-PRHDIP1800/2], 2 100mm [EY-PRHDIP2100/2], 2 400mm [EY-PRHDIP2400/2], 3 000mm [EY-PRHDIP3000/2]</p>				
 <p>90-DEGREE S-HOOK [ES-HK/EP/90DEG]</p>	 <p>180-DEGREE S-HOOK [ES-HK/EP/DS]</p>	 <p>S-HOOK [ES-HK/EP]</p>	 <p>OMEGA SPACER [EY-O/SWT]</p>	 <p>HEAVY DUTY COMPRESSION SPRING [ES-CNT3]</p>	 <p>HYBRID COMPRESSION SPRING 4 [ES-CNT4HB]</p>
 <p>OMEGA PULL-THROUGH ASSEMBLY [EI-BTL2], [ES-HK/EP/PTH]</p>	 <p>OMEGA INSULATOR [EI-OB]</p>	 <p>HYBRID BB HEAVY DUTY NYLON TENSIONER [ES-CTNTBB]</p>	 <p>OMEGA WELDED BRACKETS [EY-OS/WS075AU], [EY-OS/WS112AU], [EY-OS/WS180AU]</p>		

DUAL ACTION TENSION SENSORS (DATS)

 <p>DATS2 [TS-DATS2/XL], [TS-DATS2/SS]</p>	 <p>DATS3 [TS-DATS3/XL], [TS-DATS3/SS]</p>	 <p>DATS BRIDGING WIRES Galvanised 100mm [EA-DBW2.0X100G], 200mm [EA-DBW2.0X200G] Stainless steel 100mm [EA-DBW1.8X100SS], 200mm [EA-DBW1.8X200SS]</p>
--	--	--

MODULUS SYSTEM



MODULUS TWO-WAY BRACKET

460mm/5 wire [EMOD-460C],
960mm/10 wire [EMOD-960C],
1 160mm/12 wire [EMOD-1160C],
1 960mm/20 wire [EMOD-1960C],
2 360mm/24 wire [EMOD-2360C],
2 660mm/27 wire [EMOD-2660C]



MODULUS END CAP 19X19

[EMOD-BENDCAP]



MODULUS SLIDE INSULATOR

[EMOD-BSLD]



MODULUS MOUNTING BRACKET

[EMOD-BRKT]



MODULUS THREE-WAY BRACKET

460mm/5 wire [EMOD-3WS460C],
960mm/10 wire [EMOD-3WS960C],
1 160mm/12 wire [EMOD-3WS1160C],
1 960mm/20 wire [EMOD-3WS1960C],
2 360mm/24 wire [EMOD-3WS2360C],
2 660mm/27 wire [EMOD-3WS2660C]



MODULUS END THREE- WAY CAP 26X19

[EMOD-BENDCAP3]



MODULUS SPACER

[EMOD-BSPR]



MODULUS HOOK

[ES-HK/MOD]

MODULUS BASE

[EMOD-BB]

FENCE WIRES



GALVANISED STRANDED

1.2mmx680m [EW-T12/BB], 1.2mmx2 990m [EW-T12],
1.6mmx1 560m [EW-T16], 2mmx1 000m [EW-T20],
1.6x1 560m [EW-T16XL], 2mmx1 000m [EW-T20XL]

GALVANISED SOLID

2mmx1 034m HDG [EW-G2.00HG25KG],
2mmx2 069m HDG [EW-G2.00HG],
2.24mmx1 650m [EW-G2.24],
2.24mmx1 650 HDG [EW-G2.24HG],
2.24mmx825m [EW-G2.24/25KG],
2.24mmx825m [EW-G2.24HG25KG]

STAINLESS STEEL 304 STRANDED

1.2mmx800m [EW-TSS304/8], 1.2mmx1 600m [EW-TSS304/16]

STAINLESS STEEL 304 SOLID

1mmx1 985m [EW-SS1/304], 1.2mx1 375m [EW-SS12/304]

STAINLESS STEEL 316 STRANDED

1.2mmx800m [EW-TSS316]

STAINLESS STEEL 316 SOLID

1mmx1 985m [EW-TSS316], 1.2mmx1 375m [EW-SS1/316],
1.2mmx770m [EW-SS12/316/7], 1.6mmx770m [EW-SS16/316],
2mmx495m [EW-SS20/316]

ALUMINIUM ALLOY STRANDED

1.6mmx1 000m [EW-AL16/S], 2mmx1 000m [EW-AL20/S]

ALUMINIUM ALLOY SOLID

1.6mmx1 000m [EW-AL16], 2mx1 000m [EW-AL20],
2mmx1 500m [EW-AL20/1500],
2.5mmx1 200m [EW-AL25/1200]

PLASTIC INSULATORS



ROUND BAR INSULATOR

[EI-BRBB], [EI-BRBW]



FLAT BAR INSULATOR

[EI-BFBB], [EI-BFBW]



NAIL-ON INSULATOR

[EI-NOB], [EI-NOW]



Y-STANDARD INSULATOR

[EI-YB], [EI-YW]



OMEGA INSULATOR

[EI-OB], [EI-OB/C]



OMEGA PULL- THROUGH INSULATOR

[EI-BTL2]



POP THROUGH HOLE INSULATOR

[EI-POPEM\BULT],
[EI-POPEM\WULT]



STRAIN INSULATOR JUMBO

[EI-STB/J], [EI-STW/J]



STRAIN INSULATOR ULTRA

[EI-STB/R], [EI-STW/R]



STRAIN INSULATOR HARDENED ULTRA

[EI-STB/R/H], [EI-STW/R/H]



PICKET INSULATOR

[EI-PI]



JURASSIC INSULATOR SLOTTED

[EI-JIB6.20/S],
[EI-JIW6.20/S]



JURASSIC INSULATOR THREAD THROUGH

[EI-JIB6.20], [EI-JIW6.20]



SHIELD INSULATOR

[EI-SI]



TENSION BOBBIN INSULATOR

[EI-BTL]



BUSBAR INSULATOR

[EI-SBI]



SELF TAPPER HOOK

[EA-JSTH], [EA-JSTH/L]

PORCELAIN INSULATORS



BOBBIN PORCELAIN

[EI-BPFL],
[EI-BPFL10]



STRAINER PORCELAIN

[EI-STFP],
[EI-STFP10]

HT CABLES



SINGLE CORE (S-SERIES)

30m black [EH-BS030S], 100m black [EH-BS100S],
200m black [EH-BS200S], 500m black [EH-BS500S],
1 000m black [EH-BS1000S], 30m white [EH-WS030S],
100m white [EH-WS100S], 200m white [EH-WS200S]

MULTI CORE (S-SERIES)

Three-core: 30m [EH-3BS030], 100m [EH-3BS100]
Four-core: 100m [EH-4BS100]
Five-core: 100m [EH-5BS100]



UNDERGATE (U-SERIES)

1.6mm 25m [AH-UC1.6/25],
50m [AH-UC1.6/50],
100m [AH-UC1.6/100],
2.5mm 25m [AH-UC2.5/25],
50m [AH-UC2.5/50],
100m [AH-UC2.5/100],
200m [AH-UC2.5/200],
500m [AH-UC2.5/500]



ALUMINIUM (A-SERIES)

Single core 100m [EH-AS100],
200m [EH-AS200],
500m [EH-AS500],
1 000m [EH-AS1000]
Three core
black 30m [EH-3AS030]
and 100m [EH-3AS100]



STAINLESS STEEL (SS-SERIES)

100m black
[EH-BINOX100S]

WIRE/CABLE CONNECTORS



LINE-CLAMP BOLT TYPE 6mm AND 8mm

6mm galvanised [EA-LC6],
6mm stainless steel [EA-LC6/SS],
8mm galvanised [EA-LC8/D]



LINE-CLAMP U-TYPE 8mm

[EA-LC8/MG]



CLAW CLAMP

[EA-LC8/C]



ALUMINIUM, TINNED COPPER OR STAINLESS STEEL FERRULE

Aluminium 6mm [EA-F6AFT], 10mm [EA-F10AFT]
Tinned copper 6mm [EA-F6S], 10mm [EA-F10],
16mm [EA-F16]
Stainless steel 6mm [EA-F6S/SS],
10mm [EA-F10S/SS]



BRIDGING WIRES

Galvanised
100mm [EA-BW/1.8x100HD],
200mm [EA-BW/1.8x200HD]
Stainless steel
100mm [EA-BW/1.6x100SS],
200mm [EA-BW/1.6x200SS]

WIRE TENSIONERS – PLASTIC



COMPRESSION SPRING 1

Black [ES-CNT],
White [ES-CNTW]



COMPRESSION SPRING 2

Black [ES-CNT2],
White [ES-CNT2W]



HEAVY DUTY COMPRESSION SPRING 3

[ES-CNT3]



HYBRID COMPRESSION SPRING 1

[ES-CNTHB]



HYBRID COMPRESSION SPRING 2

[ES-CNT2HB]



HYBRID COMPRESSION SPRING 3

[ES-CNT3HB]



HYBRID COMPRESSION SPRING 4

[ES-CNT4HB]



MINI-NYLON TENSIONER

[ES-DT/MN]



COMBO TENSIONER HYBRID BB

[ES-CTNTBB]



COMBO TENSIONER HYBRID BD

[AS-WSI/BD]

WIRE TENSIONERS – METAL



STANDARD TENSIONER

[ES-DT]



COMBO TENSIONER STANDARD

[ES-CTS]



COMBO TENSIONER PORCELAIN

[ES-CTP]

TENSIONER AND INSULATOR HOOKS



MODULUS AND JURASSIC HOOK

[ES-HK/MOD]



LARGE TAIL HOOK

[ES-H/LT], [ES-H/LT/2.5]



HOOK BOLT

[ES-HB]



S-HOOK

[ES-HK/EP]



90-DEGREE S-HOOK

[ES-HK/EP/90DEG]



180-DEGREE S-HOOK

[ES-HK/EP/DS]



THROUGH- HOLE S-HOOK

[ES-HK/THR/HDG]



U-HOOK

[ES-HK/UH304]

WIRE DISPENSERS



LARGE WIRE DISPENSER

[EW-JENNY]



BRAIDED WIRE REEL HOLDER

[EW-T/RH]



IN-LINE LOOP

[EY-1LOOP],
[EY-1LOOP/SS]




EARTH LIVE LOOP

[EY-1LOOP/EL]



WALL-MOUNTED EARTH LOOP

[EA-WML/A], [EA-WML/S]



GROUND ANTI- CREEP LOOP

[EY-ANTICREAP]

EARTH LOOPS

FENCE ACCESSORIES



WARNING SIGNS
Nemtek Sign (EA-WRS2/N)
Custom Sign (EA-WRS2/C)



FENCE LIGHT TIMED
Grey (SR-FL/TL/G)
Blue (SR-FL/TL/SS)



STATUS INDICATOR
(SR-SL)



STROBE LIGHT
Green (SR-STRG)
Red (SR-STRR)



CUT-OUT SWITCH
(AA-COS)



DOUBLE POLE LIGHTNING PROTECTION
(EA-LIDI)



TAG
(EE-WIZ4/MAGNET)



SIREN 30 WATT
(SR-30)



SIREN 15 WATT 6 TONE
(SR-10) (SR-6T)



EARTH SPIKE LUG
(EA-LEAN)



HOT DIP GALVANISED
1m Long (EA-EAG1) 1.2m Long (EA-EAG12)



COPPER CLAD
1m Long (EA-EAN) 1.2m Long (EA-EAN/L)

FENCING TOOLS



COMPACT HEAVY DUTY CUTTER
(TL-MNHW)



DISTANCE MEASURING WHEEL
(TL-DMW)



KNIPEX WIRE CUTTER
(TL-MN)



PROFESSIONAL CRIMPING TOOL
(TL-CRP)




HALF-INCH RATCHET TENSIONER
(TL-RAT1/2)



Y-PICKET POST DRIVER
(TL-PDY)

SOLAR POWER



SOLAR PANELS
40W (SOL-SYS40W),
90W (SOL-SYS90W),
140W (SOL-SYS140W)



SOLAR REGULATOR
(SOL-REG140)



BATTERIES

BATTERIES
7AH (BAT-B07), 12AH (BAT-B12),
28AH (BAT-B28), 50AH (BAT-B50),
100AH (BAT-B100)



MOUNTING BRACKETS

POLE MOUNT BRACKET
(AA-AE50BR)



ENCLOSURE MOUNT BRACKET
(SY-SY040R)

ENERGIZER ENCLOSURES



FIBREGLASS ENCLOSURE
(ENC-EMB-A)



FIBREGLASS ENCLOSURE
(ENC-RL6D-P)



FIBREGLASS ENCLOSURE
(ENC-AP3-A)



METAL ENCLOSURE
(ENC-SB/WIZ)



METAL ENCLOSURE
(ENC-SB/STEALTH)



GENERAL PURPOSE ENCLOSURE
Mini (ENC-C51), Small (ENC-C52),
Medium (ENC-C53), Large (ENC-C54)



ALUMINIUM BOX
Small (ENC-ALU/S),
Shock box (ENC-SHBOXS),
Large (ENC-ALU),
Shock box (ENC-SHBOX),
X-Large (ENC-ALU/XL),
Shock box (ENC-SHBOXXL)



ENCLOSURE STAND
Small (ENC-KDS/S),
Large (ENC-KDS)



ENCLOSURE STAND U-BRACKET
(ENC-KDS/UBOLT)

GATE SYSTEMS



2-WAY GATE CONTACT
(EA-SGC07)



2-WAY GATE CONTACT
(EA-SGC13)



3-WAY GATE CONTACT
(EA-SGC193W)



GATE MOUNTING BRACKET
(EA-SGC/UNIB)



CONTACT DETAILS

Head Office Northriding	Northriding Commercial Park, Stand 251 Aintree Avenue, Northriding, Randburg, South Africa Tel: +27 (0) 11 462 8283/4 Email: websales@nemtek.com
Exports	Northriding Commercial Park, Stand 251 Aintree Avenue, Northriding, Randburg, South Africa Tel: +27 (0) 11 462 8283/4 Email: exports1@nemtek.co.za
Edenvale	Unit 1 & 2 Eden Crossing, Cnr Dick Kemp and Herman Road, Edenvale, South Africa Tel: +27 (0) 11 453 1970
Cape Town	21 Concord Crescent, Airport City, Cape Town, South Africa Tel: +27 (0) 21 386 3742/3100
Port Elizabeth (Gqeberha)	Unit 4, 51 Leadwood Crescent, Fairview, Port Elizabeth (Gqeberha), South Africa Tel: +27 (0) 41 581 4130/4064
Pinetown	19 Henwood Road, Pinetown, KZN, South Africa Tel: +27 (0) 31 701 2125/3131
Nelspruit	46 Rapid Road, Riverside Industrial Park, Nelspruit, South Africa Tel: +27 (0) 13 752 2187
Upington	7 Vooruit Street, Building 5, Upington, South Africa Tel: +27 54 332 1338
Training	Northriding Commercial Park, Unit 6 Aintree Avenue, Northriding, Randburg, South Africa Tel: +27 (0) 11 462 1320 Email: trainingoffice@nemtek.com
Australia	Unit 5, 19 Innovation Circuit, Wangara, 6065, Perth, WA, Australia Tel: +61 8 9303 9855

www.nemtek.com



Scan this QR code
to see all our
product brochures